



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

**\*BIBDATASHEET\***

CONFIRMATION NO. 9388

Bib Data Sheet

SERIAL NUMBER 10/724,159	FILING DATE 12/01/2003  RULE	CLASS 073	GROUP ART UNIT 2856	ATTORNEY DOCKET NO. 244839US-3DIV
APPLICANTS  Daisaku Kurokawa, Yaizu-shi, JAPAN;  Satoshi Sekibata, Natori-shi, JAPAN; Mitsushiro Saito, Natori-shi, JAPAN; Rikiya Goto, Shibuya-ku, JAPAN;				
** CONTINUING DATA ***** This application is a DIV of 10/148,198 06/07/2002 PAT 6,679,097 which is a 371 of PCT/JP01/09289 10/23/2001				
** FOREIGN APPLICATIONS ***** JAPAN 2000-326126 10/25/2000				
IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** 02/27/2004				
Foreign Priority claimed <input type="checkbox"/> yes <input type="checkbox"/> no	35 USC 119 (a-d) conditions met <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> Met after Allowance	STATE OR COUNTRY JAPAN	SHEETS DRAWING 5	TOTAL CLAIMS 4
Verified and Acknowledged	Examiner's Signature	Initials	INDEPENDENT CLAIMS 2	
ADDRESS 22850 OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314				
TITLE METHOD AND APPARATUS FOR MONITORING OXYGEN CONCENTRATION IN A BEVERAGE PRODUCTION PROCESS				
			<input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees ( Filing )	